

## SAFETY DATA SHEET

1. Identification		
Product identifier	MET-KLEEN 130N	
Other means of identification	None.	
Recommended use	Cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufacturer Name	QualiChem, Inc.	
Address	PO Box 926	
	Salem, VA USA	
Telephone	+1-540-375-6700	
Email	customerservice@qualichem.com	
Website	www.qualichem.com	
Emergency Phone Number	For Chemical Emergency ONLY (spill, leak, fire, exposure, or accident), 24 hour emergency telephone, call Chemtel at +1-800-255-3924 (US, Canada); +1-813-248-0585 elsewhere.	
	2. Hazard(s) identification	
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation Category 1	
	Serious eye damage/eye irritation Category 1	
Signal word	Danger	
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage.	
Precautionary statement		
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.	
Storage	Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-Aminoethanol		141-43-5	1 - 5
Potassium hydroxide		1310-58-3	1 - 5
Sodium silicate		1344-09-8	1 - 5
Other components below reportable levels			80 - 100

	4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
	5. Fire-fighting measures	
L Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
	6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for	This product is miscible in water.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
	7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	
	8. Exposure controls/personal protection	

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value
2-Aminoethanol (CAS 141-43-5)	PEL	6 mg/m3
)		3 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
2-Aminoethanol (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3
US. NIOSH: Pocket Guide to	o Chemical Hazards	
Components	Туре	Value
2-Aminoethanol (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
Potassium hydroxide (CAS 1310-58-3)	TWA	2 mg/m3
ological limit values	No biological exposure limits noted for	r the ingredient(s).
propriate engineering ntrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
ividual protection measures	such as personal protective equipme	ent
Eye/face protection	Wear safety glasses with side shields	(or goggles).
Skin protection		
Hand protection	Wear protective gloves.	
Other	Wear suitable protective clothing.	
Respiratory protection	No personal respiratory protective equ	uipment normally required.
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear Liquid.
Color	Colorless.
Odor	Characteristic
Odor threshold	Not available.
рН	11.5 - 12.4
Melting point/freezing point	< 40 °F (< 4.4 °C) estimated
Initial boiling point and boiling range	Not available.
Flash point	NONE
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	olosive limits
Flammability limit - lower (%)	Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 1.0 mm Hg estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	COMPLETE
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.06 g/cm3
	8.87 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	> 60 % estimated
Specific gravity	1.06
	10. Stability and reactivity
Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
	11. Toxicological information
Information on likely routes of ex	
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not
	been observed in humans.
Eye contact	been observed in humans. Causes serious eye damage.
Eye contact Ingestion	
-	Causes serious eye damage.
Ingestion Symptoms related to the physical, chemical and	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Ingestion Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Ingestion Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effe	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Ingestion Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Ingestion Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Skin corrosion/irritation Serious eye damage/eye	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. <b>ects</b> Not known. Causes severe skin burns and eye damage. Causes serious eye damage.
Ingestion Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Skin corrosion/irritation Serious eye damage/eye irritation	Causes serious eye damage. Causes digestive tract burns. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. <b>ects</b> Not known. Causes severe skin burns and eye damage. Causes serious eye damage.

Germ cell mutagenicity       No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.         Carcinogenicity       This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.         IARC Monographs. Overall Evaluation of Carcinogenicity       Not listed.         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)         Not regulated.       US. National Toxicology Program (NTP) Report on Carcinogens         Not listed.       Not listed.	
<ul> <li>IARC Monographs. Overall Evaluation of Carcinogenicity         Not listed.     </li> <li>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)         Not regulated.     </li> <li>US. National Toxicology Program (NTP) Report on Carcinogens</li> </ul>	
Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens	
Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens	
US. National Toxicology Program (NTP) Report on Carcinogens	
NUL IISLEU.	
<b>Reproductive toxicity</b> This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - Not classified.	
single exposure	
Specific target organ toxicity - Not classified.	
repeated exposure	
Aspiration hazard Not an aspiration hazard.	
<b>Chronic effects</b> May be harmful if absorbed through skin. Prolonged inhalation may be harmful.	
Prolonged or repeated exposure may cause liver and kidney damage. These effects have been observed in humans.	not
12. Ecological information	
Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude	e the
possibility that large or frequent spills can have a harmful or damaging effect on the environ	nment.
<b>Persistence and degradability</b> No data is available on the degradability of this product.	
Bioaccumulative potential	
Partition coefficient n-octanol / water (log Kow)	
2-Aminoethanol -1.31	
Mobility in soil         No data available.	
Other adverse effects         No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this componential.	
13. Disposal considerations	
<b>Disposal instructions</b> Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose contents/container in accordance with local/regional/national/international regulations.	e of
<b>Local disposal regulations</b> Dispose in accordance with all applicable regulations.	
Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the disposal company.	waste
Waste from residues / unused productsDispose of in accordance with local regulations. Empty containers or liners may retain som product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).	
<b>Contaminated packaging</b> Since emptied containers may retain product residue, follow label warnings even after cont emptied. Empty containers should be taken to an approved waste handling site for recyclin disposal.	
14. Transport information	
DOT	
UN number UN3266	
<b>UN proper shipping name</b> Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)	
Transport hazard class(es)	
Class 8 Subsidiers risk	
Subsidiary risk - Label(s) 8	
Packing group III	
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	
Special provisions IB3, T7, TP1, TP28	
Special provisionsIB3, T7, TP1, TP28Packaging exceptions154	
Special provisions IB3, T7, TP1, TP28	

ΙΑΤΑ

ΙΑΤΑ	
UN number	UN3266
UN proper shipping name	Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L
Special precautions for use	r Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3266
UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for use	<ul> <li>Read safety instructions, SDS and emergency procedures before handling.</li> </ul>
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
TDG	
UN3266	
8	
III Maria a silutant askuulas	
	ntaining 10% or more substances identified as marine pollutants or severe marine pollutant when nces identified as severe marine pollutants
	and emergency procedures before handling.
16	and emergency procedures before narialing.
Potassium hydroxide	
Transport in bulk according to	Not regulated as dangerous goods.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	

DOT



IATA; IMDG; TDG		
8		
	15. Regulatory information	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Con Standard, 29 CFR 1910.1200.	mmunication
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substa		
Potassium hydroxide (CA SARA 304 Emergency releas	· ·	
Not regulated.		
•	d Substances (29 CFR 1910.1001-1050)	
Not regulated.		
-	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazarc Not listed.	-	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Proposition 65 - WARNING: This product contains a chemical know California to cause cancer and birth defects or other reproductive harm.	wn to the State of
International Inventories		
Country(s) or region	Inventory name O	n inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision		
Issue date	01-25-2016	
Revision date	09-09-2016	
Version #	03	
Disclaimer	QualiChem, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	
Revision information	This document has undergone significant changes and should be reviewed in its entirety.	