SAFETY DATA SHEET



	1. Identification	on		
Product identifier	XTREME CUT 231			
Other means of identification	None.			
Recommended use	Cutting and Grinding Fluid			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplie Manufacturer	/Distributor information			
Manufacturer Name	QualiChem, Inc.			
Address	PO Box 926			
	Salem, VA USA			
Telephone	+1-540-375-6700			
Email	customerservice@qualichem.com			
Website	www.qualichem.com			
Emergency Phone Number	For Chemical Emergency ONLY (spill, leak, fire, exposure, or accident), 24 hour emergency telephone, call Chemtel at +1-800-255-3924 (US, Canada); +1-813-248-0585 elsewhere.			
	2. Hazard(s) identi	fication		
Physical hazards	Not classified.			
Health hazards	Reproductive toxicity	Effects on or via lactation		
Label elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	May cause harm to breast-fed children.			
Precautionary statement				
Prevention	Obtain special instructions before use. Avoid contact during pregnancy/while nursing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.			
Response	If exposed or concerned: Get medical advice/attention.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	None.			
	3. Composition/information	on ingredients		
Mixtures	-			
Chemical name	Common name and synonyms	CAS number %		
	, , -	04740 50 5		

Chemical name	Common name and synonyms	CAS number	%
Distillates, (petroleum), hydrotreated heavy naphthenic		64742-52-5	10 - 20
Alkanes, C14-16, chloro		63449-39-8	5 - 10
Amine neutralized carboxylic acid		Not Available	1 - 5
Diisopropanolamine		110-97-4	1 - 5
3-lodo-2-propynyl butylcarbamate		55406-53-6	0.1 - 1
Propylene glycol		57-55-6	0.1 - 1
Other components below reportable levels			60 - 80

	4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
	5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
	6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.		
	7. Handling and storage		
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage,	Store locked up. Store in original tightly closed container. Store away from incompatible materials		

cupational exposure limits			
	s for Air Contaminants (29 CFR 1910.1000	-	Form
Components	Туре	Value	FOIII
Distillates, (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3 500 ppm	
US. ACGIH Threshold Lim	nit Values		
Components	Туре	Value	Form
Distillates, (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates, (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
• • • • • • • • • • • • • • • • • • • •	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. Workplace Environme Components	ental Exposure Level (WEEL) Guides Type	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
ological limit values	No biological exposure limits noted for the	ne ingredient(s).	
opropriate engineering ntrols	Good general ventilation (typically 10 air should be matched to conditions. If appli or other engineering controls to maintair exposure limits have not been established	icable, use process enclosu n airborne levels below reco	ires, local exhaust ventilatior mmended exposure limits. If
dividual protection measure Eye/face protection	es, such as personal protective equipment Wear safety glasses with side shields (o		
Skin protection Hand protection	Wear protective gloves.		
-			
Other Beeniratery protection	Wear suitable protective clothing.	mont normally required	
Respiratory protection	No personal respiratory protective equip		
eneral hygiene Insiderations	When using, do not eat, drink or smoke. as washing after handling the material a wash work clothing and protective equip	nd before eating, drinking,	and/or smoking. Routinely
	9. Physical and chemical		

Liquid.
Clear Liquid.
Blue
Trace hydrocarbon
Not available.
9.0 - 10.0
< 40 °F (< 4.4 °C) estimated
> 212 °F (> 100 °C) estimated
None

Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	< 1.0 mm Hg estimated		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Complete		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Density	1.01 g/cm3 8.40 lb/gal		
Explosive properties	Not explosive.		
Oxidizing properties	Not oxidizing.		
Percent volatile	> 40 % estimated		
pH in aqueous solution	8.8 - 9.2 (5% Emulsion)		
Specific gravity	1.01		
VOC (Weight %)	0 % w/w ASTM E1868-10		
	10. Stability and reactivity		
Desetivity	The product is stable and per reactive under permal conditions of use storage and transport		

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not available.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	cts		
Acute toxicity	Not available.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:		
	disposal company.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste		
Local disposal regulations	with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations.		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches		
	13. Disposal considerations		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
Mobility in soil	No data available.		
Partition coefficient n-octan Alkanes, C14-16, chloro Diisopropanolamine Propylene glycol	nol / water (log Kow) 7 -0.82 -0.92		
Bioaccumulative potential			
Persistence and degradability	No data is available on the degradability of this product.		
Ecotoxicity	Toxic to aquatic life with long lasting effects.		
	12. Ecological information		
Chronic effects	No known significant effects or critical hazards.		
Aspiration hazard	Not an aspiration hazard.		
Specific target organ toxicity - repeated exposure	Not classified.		
single exposure	Not classified.		
Reproductive toxicity Specific target organ toxicity -	May cause harm to breastfed babies. Not classified.		
Not available.	ogram (NTP) Report on Carcinogens		
	ed Substances (29 CFR 1910.1001-1050)		
Not available.			
Carcinogenicity	Evaluation of Carcinogenicity		
Coroinegonicity	mutagenic or genotoxic. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are		
Skin sensitization	This product is not expected to cause skin sensitization.		

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

UN number UN proper shipping name UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkanes, C14-16, chloro), MARINE POLLUTANT

Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS Special pressutions for user	F-A, S-F
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Read safety instructions, SDS and emergency procedures before handling. Not established.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated as dangerous goods.
IMDG 9 Marine pollutant	
General information	IMDG Regulated Marine Pollutant.
	15. Regulatory information
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
CERCLA Hazardous Substar	nce List (40 CFR 302.4)
Not listed. SARA 304 Emergency releas	e notification
Not regulated. OSHA Specifically Regulated Not listed.	I Substances (29 CFR 1910.1001-1050)
Superfund Amendments and Rea	authorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	ous substance
SARA 311/312 Hazardous chemical	No
Material name: XTREME CUT 231	

SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
3-lodo-2-propynyl butylca	3-lodo-2-propynyl butylcarbamate		0.1 - 1
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Po	llutants (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Sectior	n 112(r) Accidental Rele	ease Prevention (40 CFR	68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US. California Controlled Su	ubstances. CA Departn	nent of Justice (California	a Health and Safety Code Section 11100)
Not listed.			
US. Massachusetts RTK - S			
Diisopropanolamine (CAS		~ • ·	
US. New Jersey Worker and			
3-lodo-2-propynyl butylca Propylene glycol (CAS 57		3-6)	
US. Pennsylvania Worker a		-Know Law	
Diisopropanolamine (CAS			
Propylene glycol (CAS 5			
US. Rhode Island RTK			
3-lodo-2-propynyl butylca	arbamate (CAS 55406-53	3-6)	
US. California Proposition 6 WARNING: This product reproductive harm.		wn to the State of Californ	ia to cause cancer and birth defects or other
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Canada	Domestic Substances	List (DSL)	Yes
China	Inventory of Existing C	Chemical Substances in Ch	nina (IECSC) Yes
Europe	European Inventory of Substances (EINECS)	f Existing Commercial Che)	mical Yes
Korea	Existing Chemicals Lis	st (ECL)	Yes
Philippines	Philippine Inventory of (PICCS)	Chemicals and Chemical	Substances Yes
United States & Puerto Rico	Toxic Substances Cor	ntrol Act (TSCA) Inventory	Yes
			ents administered by the governing country(s) n listing on the inventory administered by the governing

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision		
Issue date	01-13-2016	
Revision date	01-13-2016	
Version #	02	
Disclaimer	QualiChem, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	
Revision information	Composition/information on ingredients: Composition comments Composition/information on ingredients: Component information HazReg Data: International Inventories	